

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MICHIGAN COMPLIANCE CERTIFICATE.

PRODUCED: MAR 04, 2026

SAMPLE: MIXED BERRY NEXT GEN MIT TABLET (EDIBLE SOLID) // CLIENT: OHMBOYZ // BATCH: PASS



BATCH NO.: OHMMIT001
MATRIX: EDIBLE SOLID
CATEGORY: INFUSED PRODUCTS
SAMPLE ID: CL-020326-002
COLLECTED ON: MAR 02, 2026
RECEIVED ON: MAR 02, 2026
BATCH/SAMPLE SIZE: 5000 UNITS / 4 G
RECEIVED BY: ADELYN BOUTELL
SERVING/PACKAGE SIZE: 0.1946 G / 2.335 G

ALKALOID OVERVIEW

MITRAGYNINE: 4.473854 mg/srv
7-OH-MITRAGYNINE: 0 mg/srv
TOTAL ALKALOIDS: 6.63586 mg/srv

BATCH RESULT: PASS

ALKALOIDS TESTED

KRATOM POTENCY // MAR 04, 2026

ANALYTE	LOD/LOQ (ppm)	AMT (%)	PASS/FAIL
MITRAGYNINE *	2.7900000/8.4500000	2.299	N/A
PAYNANTHEINE *	2.6300000/7.9800000	0.322	N/A
SPECIOGYNINE *	2.6500000/8.0400000	0.291	N/A
MITRAPHYLLINE *	3.2700000/9.9100000	ND	N/A
MITRACILIATINE *	2.6700000/8.1000000	0.168	N/A
CORYNANTHEIDINE *	2.6500000/8.0400000	ND	N/A
ISOPAYNANTHEINE *	2.5500000/7.7300000	ND	N/A

ANALYTE	LOD/LOQ (ppm)	AMT (%)	PASS/FAIL
SPECIOCILIATINE *	2.6000000/7.8800000	0.330	N/A
7-OH-MITRAGYNINE *	3.1800000/9.6500000	ND	N/A
MITRAGYNINE	2.9100000/8.8200000	ND	N/A
PSEUDOINDOXYL *		4.474	N/A
MITRAGYNINE/SRV *		mg	N/A
7-OH-MITRAGYNINE/SRV *		ND	N/A
MITRAGYNINE/PKG *		53.682	N/A
7-OH-MITRAGYNINE/PKG *		mg	N/A
		ND	N/A

* BEYOND SCOPE OF ACCREDITATION



PER ISO 17025, THIS REPORT ONLY CONTAINS AND CONCERNS THE SAMPLES LISTED WITHIN THIS DOCUMENT. SAMPLES WERE SAMPLED AND TESTED IN ACCORDANCE WITH THE SAFETY COMPLIANCE FACILITY SAMPLING AND TESTING INFORMATION PROVIDED BY THE STATE OF MICHIGAN.

RESULTS CERTIFIED BY: JALEN WILLIAMS
 LAB MANAGER, SC LABS
 MAR 04, 2026

